

Historic, archived document

Do not assume content reflects current scientific knowledge, policies, or practices.

7P

THE PLANT DISEASE BULLETIN



Issued By

The Plant Disease Survey

SUPPLEMENT 7

Index to Supplements 1 - 6

August 15, 1919.

BUREAU OF PLANT INDUSTRY

UNITED STATES DEPARTMENT OF AGRICULTURE

INDEX TO SUPPLEMENTS I-VI, PLANT DISEASE BULLETIN

1919

Prepared by Mary G. Van Meter.

- Actinomyces chromogenus* (=A. scabies), garden beet, 103.
 scabies, potato, 55.
 sugar beet, 169.
Aecidium sambuci, elder, 173.
Agropyron tenerum, stem rust, 158.
Albugo bliti, pigweed, 182.
 candida (=Cystopus *candida*),
 radish, 94.
 ipomoeae panduranae, sweet potato,
 87.
 Alfalfa, alkali injury, 155.
 anthracnose, 153.
 bacterial blight, 154.
 crown wart, 153.
 dodder, 155.
 downy mildew, 154.
 leaf spot, *Cercospora*, 154.
 Pseudopeziza, 153.
 Phoma sp., 155.
 root rot, *Fusarium*, 155.
 Ozonium, 154.
 Rhizoctonia, 154.
 Sclerotinia, 153.
 rust, 155.
 Stagonospora carpathica, 155.
 Thielavia basicola, 155.
 white leaf trouble, 155.
 white spot, 155.
 wilt, 154.
 winter injury, 155.
 yellow leaf blotch, 153.
 Alkali injury, alfalfa, 155.
 apple, 18.
 clover, 156.
 Alternaria, apple, 16, 17.
 brassicae, cabbage, 92.
 brassicae var. *nigrescens*,
 cantaloupe, 95.
 citri, citrus, 38.
 cotton, 164.
 okra, 113.
 sp., bean, 76.
 eggplant, 109.
 squash, 99.
 watermelon, 101.
 sugar beet, 169.
 Ampelopsis, die back, 178.
 leaf spot, 178.
 Angular leaf spot, cotton, 162, 209.
 cucumber, 98.
 currant, 37.
 Anthracnose, alfalfa, 153.
 barley, 144.
 bean, 71, 203.
 blackberry, 36.
 box elder, 170.
 camphor tree, 170.
 cantaloupe, 95.
 clover, 155.
 cotton, 161, 209.
 cucumber, 97.
 currant, 36.
 fig, 40.
 gooseberry, 37.
 grape, 33.
 hickory, 174.
 hollyhock, 180.
 Italian rye grass, 159.
 lima bean, 112.
 maple, 174.
 oak, 175.
 oats, 147.
 poplar, 177.
 privet, 182.
 raspberry, 34.
 rhubarb, 185.
 rose, 182.
 rye, 140.
 spinach, 117.
 strawberry, 34.
 sycamore, 177.
 vetch, 156.
 walnut, black, 177.
 watermelon, 99.
 wheat, 136.
 Aplanobacter michiganensis, tomato,
 68.
 Apple, alkali injury, 18.
 bark galls, 18.

- bitter pit, 11.
 - bitter rot, 5, 212.
 - black rot, 6, 212.
 - blister canker, 6.
 - blotch, 7, 212.
 - brown bark spot, 17.
 - brown rot, 13.
 - cankers, 17.
 - Coniothyrium, 17.
 - Cytospora, 17.
 - chlorosis, 17.
 - collar rot, 18.
 - Coniothecium scab, 17.
 - cork, 18.
 - cracking, 16.
 - crown gall, 12.
 - decay, 16.
 - dieback, 18.
 - drought injury, 15.
 - European canker, 14.
 - fasciation, 18.
 - fire blight, 3, 212.
 - fly speck, 14.
 - frog-eye, 18.
 - fruit spot, 11.
 - hail injury, 16.
 - Jonathan spot, 12.
 - June drop, 17.
 - late frost injury, 16.
 - leaf spot, Cercospora, 17.
 - Phyllosticta, 17.
 - measles, 18.
 - northwestern anthracnose, 9.
 - pimple disease, 18.
 - powdery mildew, 12.
 - pox canker, 16.
 - root rots, 10.
 - rosette, 18.
 - rot, Alternaria, 17.
 - blue mold, 12.
 - Botrytis, 17.
 - Cephalothecium, 17.
 - Penicillium, 17.
 - Phytophthora, 17.
 - rough bark disease, 17.
 - rust, 8.
 - sap rot, 18.
 - scab, 1, 212.
 - scald, 16.
 - Septobasidium retiforme, 18.
 - silver leaf, 17.
 - smallpox, 18.
 - soil trouble, 17.
 - sooty blotch, 14.
 - spot necrosis, 17.
 - spray injury, 16.
 - storage rot, 17.
 - sun scald, 16.
 - surface canker, 17.
 - Thelephora pedicillata, 18.
 - water core, 15.
 - winter injury, 14.
 - Apricot, blight, 32.
 - brown rot, 32.
 - frost injury, 32.
 - gummosis, 32.
 - scab, 32.
 - shot hole, 32.
 - Arbor-vitae, blight, 169.
 - winter injury, 169.
 - Armillaria, cherry, 31.
 - mellea, apple, 10.
 - peach, 27.
 - plum, 29.
 - potato, 58.
 - raspberry, 35.
 - Arrowhead, leaf spot, 178.
 - Artichoke, blight, 102.
 - brown rot, 102.
 - rust, 102.
 - Ascochyta pisi (=Mycosphaerella pinodes), pea, 114.
 - sp., vetch, 156.
 - viciae, vetch, 183.
 - Ash, canker, 170.
 - leaf spot, Cercospora, 170.
 - Phyllosticta, 170.
 - rust, 170.
 - witches' broom, 170.
 - Asparagus, fasciation, 102.
 - Rhizoctonia, 103.
 - rust, 102.
 - Aspergillus niger, onion, 82.
 - sp., corn, 151.
 - Aster, Fusarium wilt, 178.
 - orange rust, 178.
- B
- Bacillus amylovorus, apple, 3, 212.
 - cherry, 31.
 - pear, 18.
 - quince, 20.
 - atrosepticus, potato, 48, 199.
 - carotovorus, cabbage, 91.
 - carrot, 103.

- celery, 107.
- iris, 181.
- lettuce, 112.
- onion, 83.
- parsnip, 113.
- potato, 59.
- radish, 94.
- spinach, 117.
- turnip, 94.
- coli, cocoanut, 184.
- delphini, larkspur, 181.
- lathyri, clover, 156.
- mori, mulberry, 175.
- phytophthorus, potato, 48.
- solanacearum, (see also *Bacterium solanacearum*).
 - eggplant, 108.
 - potato, 47.
 - tomato, 205.
- solanisaprus, potato, 48.
- sorgho, sorghum, 152.
- sp., corn, 151.
- tracheiphilus, cantaloupe, 95.
 - cucumber, 97.
 - pumpkin, 99.
 - squash, 99.
 - watermelon, 101.
- Bacteria, tomato, 68.
- Bacterial canker, cherry, 31.
- Bacterial disease, begonia, 178.
- Bacterial gummosis, cherry, 30.
- Bacterial leaf rot, lettuce, 112.
- Bacterial spot, barberry, 178.
 - larkspur, 181.
- Bacteriosis, geranium, 180.
- Bacterium campestre*, cabbage, 90.
 - radish, 94.
- cerasi, cherry, 30.
 - peach, 27.
- erodii, geranium, 180.
- juglandis, walnut, 41.
 - walnut, black, 178.
- lachrymans, cucumber, 98.
- maculicolum, cabbage, 92.
- malvacearum, cotton, 162, 209.
- medicaginis, alfalfa, 154.
- phaseoli, bean, 70, 203.
 - lima bean, 112.
- pisi, pea, 114.
- pruni, peach, 23.
 - plum, 29.
- solanacearum, (see *Bacillus solanacearum*), tomato, 65.
- stewartii, corn 150.
- translucens var. undulosum,
 - wheat, 135.
- tumefaciens, apple, 12.
 - blackberry, 36.
 - cherry, 31.
 - euonymus, 179.
 - grape, 32.
 - pear, 19.
 - plum, 29.
 - quince, 21.
 - raspberry, 35.
 - rose, 182.
- Barberry, bacterial spot, 178.
 - blight, 178.
- Bark galls, apple, 18.
- Barley, anthracnose, 144.
 - bacterial leaf blight, 144.
 - covered smut, 141, 194.
 - ergot, 144.
 - false stripe, 144.
 - frost injury, 144.
 - leaf spot, 144.
 - loose smut, 141, 194.
 - net blotch, 142.
 - powdery mildew, 144.
 - root rot, *Fusarium*, 144.
 - Rhizoctonia*, 144.
 - rust, leaf, 143.
 - stem, 143.
 - stripe, (incorrectly listed as yellow stripe), 143.
 - scab, 144.
 - spot blotch, 142.
 - stripe, 142, 194.
- Bean, anthracnose, 71, 203.
 - bacterial blight, 70, 203.
 - black root rot, 76.
 - chlorosis, 77.
 - downy mildew, 74.
 - dry root rot, 73.
 - frost injury, 77.
 - gray leaf blotch, 77.
 - leaf blight, 77.
 - leaf spot, *Alternaria*, 76.
 - Cercospora*, 76.
 - Diaporthe*, 77.
 - Phyllosticta*, 76.
 - mosaic, 72, 203.
 - pod blight, 77.
 - pod spot, 77.
 - powdery mildew, 74.
 - root knot, 77.

- root rots, *Fusarium*, 76, 203.
 - Ozonium*, 76, 203.
 - Rhizoctonia*, 203.
- rot, *Botrytis*, 75.
 - Rhizopus*, 76
 - watery soft, 75.
- rust, 72.
- sclerotial blight, 75.
- stem rot, 75.
 - Fusarium*, 75.
- sun scald, 76.
- Texas root rot, 76.
- Beet, garden, curly top, 103.
 - leaf spot, 103.
 - Cercospora*, 103.
 - root knot, 103.
 - rot, 103.
 - scab, 103.
- Begonia, bacterial disease, 178.
- Bermuda grass, *Puccinia conodontis*, 159.
- Big tree, *Botrytis douglasii*, 170.
- Birch, canker, 170.
 - galls, 170.
- Bitter pit, apple, 11.
- Bitter rot, apple, 5, 212.
 - grape, 33.
- Blackberry, anthracnose, 36.
 - cane blight, 36.
 - crown gall, 36.
 - leaf spot, 36.
 - orange rust, 35.
 - winter injury, 36.
 - yellow late rust, 36.
- Black chaff, wheat, 135.
- Black heart, celery, 107.
 - potato, 58.
- Black knot, cherry, 30.
 - juneberry, 169.
 - plum, 28.
- Black leg, cabbage, 90.
 - potato, 48, 199.
- Black melanose, citrus, 39.
- Black mold, cabbage, 92.
 - onion, 82.
- Black pit, pecan, 41.
- Black root rot, bean, 76.
- Black rot, apple, 6, 212.
 - cabbage, 90.
 - citrus, 38.
 - grape, 32.
 - pear, 19.
 - quince, 20.
 - radish, 94.
 - sweet potato, 85, 207.
- Black seed, cotton, 164.
- Black spot, peach, 23.
 - plum, 29.
 - rose, 182.
- Black streak, horseradish, 93.
- Blade blight, timothy, 157.
- Blast, rice, 151.
- Blight, arbor-vitae, 169.
 - Ascochyta*, pea, 114.
 - bacterial, alfalfa, 154.
 - bean, 70, 203.
 - lima bean, 112.
 - millet, 157.
 - mulberry, 175.
 - oats, 148.
 - pea, 114.
 - sorghum, 152.
 - tomato, 65.
 - walnut, 41.
 - walnut, black, 178.
 - bacterial leaf, barley, 144.
 - chestnut, 171.
 - Coryneum*, apricot, 32.
 - peach, 23, 211.
 - plum, 29.
 - Helminthosporium*, wheat, 137.
 - locust, 174.
 - mulberry, 175.
 - rice, 151.
 - sclerotial, bean, 75.
 - Sclerotium*, aritchoke, 102.
 - potato, 59.
 - sweet potato, 88.
 - watermelon, 101.
 - Septoria*, pea, 114.
 - tomato, 60.
 - sorghum, 152.
 - spinach, 116.
 - Stagonospora*, century plant, 179.
 - Verticillium*, barberry, 178.
- Blister canker, apple, 6.
- Blister rust, pine, 175.
- Blossom blast, onion, 83.
- Blossom blight, okra, 113.
- Blossom end rot, *Alternaria*, citrus, 38.
 - Fusarium*, citrus, 39.
 - tomato, 65.
- Blotch, apple, 7, 212.
- Blue mold rot, apple, 12.
 - citrus, 38.

Boll rot, cotton, 162.
Botryodiplodia ravenelli, oak, 175.
Botryosphaeria berengeriana, pecan, 41.
 ribis, currant, 36.
Botrytis, apple, 17.
 cinerea, cabbage, 92.
 lettuce, 110.
 rose, 182.
 strawberry, 33.
 citrus, 39.
 douglasii, big tree, 170.
 raspberry, 35.
 sp., artichoke, 102.
 bean, 75.
 carnation, 179.
 carrot, 103.
 castor bean, 104.
 celery, 108.
 onion, 81.
 peanut, 116.
 peony, 181.
 Bottle brush grass, leaf spot, 159.
 Box, winter injury, 178.
 Box elder, anthracnose, 170.
 canker, 170.
 Branch canker, elm, 173.
Bremia lactucae, lettuce, 111.
Brome grass, powdery mildew, 158.
 smut, 158.
Bromus ciliatus, leaf rust, 158.
Broom corn, *Stagonospora curvula*, 184.
 Brown bark spot, apple, 17.
 Brown blotch, pear, 19.
 Brown mold, lettuce, 112.
 Brown rot, apple, 13.
 apricot, 32.
 artichoke, 102.
 cherry, 30.
 citrus, 39.
 juneberry, 169.
 peach, 21, 211.
 pear, 20.
 plum, 27.
 Brown spot, corn, 149, 197.
Bubakia crotonis, croton, 184.
 Buckeye rot, tomato, 67.
 Buckthorn, crown rust, 184.
 Buckwheat, leaf spot, 152.
 Rhizoctonia sp., 152.
 stem canker, 152.
 Bud blight, sorghum, 152.

Bud rot, coconut, 184.
 rose, 182.
 Bunt, wheat, 119, 190.
 Butternut, dead branches, 170.
 leaf spot, 170.

C

Cabbage, black leg, 90.
 black mold, 92.
 black rot, 90.
 calico, 93.
 chlorosis, 93.
 club root, 89.
 damping off, 92.
 downy mildew, 91.
 drop, 93.
 leaf spot, bacterial, 92.
 malnutrition, 93.
 oedema, 93.
 root knot, 91.
 root rot, 91.
 rot, *Botrytis*, 92.
 slimy soft, 91.
 wilt, 93.
 yellow leaf curl, 93.
 yellows, 89.
 Cacao, die-back, 184.
 wood rot, 184.
 Calico, cabbage, 93.
 Camphor tree, anthracnose, 170.
 canker, 170.
 Cane blight, blackberry, 36.
 currant, 36.
 raspberry, 34.
 rose, 182.
 Canker, apple, 17.
 Cenangium, pine, 177.
 Colletotrichum, flax, 165.
 Coniothyrium, apple, 17.
 Cytospora, apple, 17.
 mountain ash, 175.
 poplar, 177.
 Diplodia, camphor tree, 170.
 Dothichiza, poplar, 177.
 Nectria, box elder, 170.
 peach, 27.
 pear, 19.
 Physalospora, ash, 170.
 sumach, 177.
 Sphaeropsis, birch, 170.
 Verticillium, tulip tree, 177.
 Canna, rust, 179.

- Cantaloupe, anthracnose, 95.
 downy mildew, 96.
 fruit rot, 96.
 leaf blight, 95.
 root knot, 96.
 Sclerotium stem rot, 96.
 wilt, bacterial, 95.
 Fusarium, 96.
 Carnation, root knot, 179.
 root rot, 179.
 rust, 179.
 stem rot, 179.
 wilt, 179.
 Carrot, *Corticium vagum* var. *solanii*, 103.
 gray mold, 103.
 rot, bacterial soft, 103.
 Sclerotinia, 103.
 Sclerotinia soft, 103.
 Cassava, leaf spot, 184.
 Castor bean, gray mold, 104.
 leaf spot, 104.
 root rot, alkali, 104.
 Texas root rot, 104.
 Catalpa, chlorosis, 170.
 heart rot, 170.
 leaf spot, 170.
 root rot, 170.
 sap rot, 170.
 wilt, 170.
 wilt of leaves, 170.
 Cauliflower, (see cabbage), 93.
 Celery, black heart, 107.
 drought injury, 103.
 early blight, 105.
 foot rot, 105.
 late blight, 104.
 leaf spot, bacterial, 106.
 Phyllosticta, 108.
 mosaic, 108.
 Rhizoctonia, 107.
 root knot, 108.
 rot, bacterial, 106.
 Botrytis soft, 108.
 slimy soft, 107.
 watery soft, 106.
 scab, 108.
 Cenangium abietis, pine, 177.
 Century plant, blight, 179.
 Cephaeleuros virescens, citrus, 39.
 Cephalothecium roseum, apple, 17.
 Cercospora acromiae, palm, 175.
 althaeina, hollyhock, 180.
 angulata, currant, 37.
 apii, celery, 105.
 parsnip, 113.
 beticola, beet, garden, 103.
 chard, 93.
 mangel, 113.
 sugar beet, 166.
 bloxani, Chinese mustard, 185.
 cajani, gandul, 110.
 canescens, lima bean, 113.
 circumscissa, cherry, 31.
 citrullina, watermelon, 101.
 coffeicola, coffee, 184.
 fraxinites, ash, 170.
 gossypina, cotton, 164.
 henningsii, cassava, 184.
 hibisci, okra, 113.
 lactucae, lettuce, 112.
 mali, apple, 17.
 malvarum, hollyhock, 180.
 medicaginis, alfalfa, 154.
 mucunae, velvet bean, 118.
 oryzae, rice, 152.
 personata, peanut, 115.
 pisi var. sativae, pea, 115.
 ricinellae, castor bean, 104.
 rosicola, rose, 182.
 sachii, chayote, 184.
 sagittariae, arrowhead, 178.
 sp., bean, 76.
 spinach, 117.
 sweet potato, 88.
 tricincta, zinnia, 183.
 vaginae, sugar cane, 165.
 viticola, grape, 33.
 Cercospora persicae, peach, 27.
 Cereal crops, 119.
 Charcoal rot, sweet potato, 88.
 Chard, leaf spot, 93.
 Chayote, leaf spot, 184.
 Cherry, bacterial canker, 31.
 bacterial gummosis, 30.
 black knot, 30.
 brown rot, 30.
 Cercospora circumscissa, 31.
 crown gall, 31.
 fire blight, 31.
 gummosis, 31.
 leaf spot, 30.
 powdery mildew, 31.
 root rot, Armillaria, 31.
 Clitocybe, 31.
 Valsa leucostoma, 31.

- winter injury, 31.
 witches' broom, 31.
 Chestnut, blight, 171.
 Chlorosis, apple, 17.
 bean, 77.
 cabbage, 93.
 catalpa, 170.
 cucumber, 99.
 peach, 27.
 potato, 59.
 rose, 182.
 sweet potato, 88.
Choanephora cucurbitarum, okra, 113.
 squash, 99.
Chrysanthemum, leaf spot, 179.
 powdery mildew, 179.
Chrysophlyctis endophtotica, potato, 57.
Citrus, black melanose, 39.
 black rot, 38.
 blue mold rot, 38.
 blossom end rot, *Alternaria*, 38.
Fusarium, 39.
 brown rot, 39.
 foot rot, 38.
 frenching, 39.
 fruit rot, 39.
 gray mold, 39.
 leaf spot, 39.
 melanose, 37.
 mottle leaf, 39.
 pink disease, 39.
 rust, 39.
 scab, 37.
 scaly bark, 39.
 sooty mold, 39.
 stem end rot, 38.
 wither tip, 37.
Cladosporium aphidis, salvia, 182.
carpophilum, apricot, 32.
 peach, 22, 211.
 plum, 29.
 citri, citrus, 37.
 corn, 151.
cucumerinum, cucumber, 98.
 squash, 99.
 fulvum, tomato, 67.
herbarum var. *citricolum*, citrus, 39.
 macrocarpum, spinach, 113.
 paeoniae, peony, 131.
 sp., ampelopsis, 178.
 sugar cane, 166.
Claviceps purpurea, barley, 144.
 quack grass, 158.
 rye, 137, 192.
 wheat, 136.
Clitocybe, cherry, 31.
 monadelphia, apple, 10.
 peach, 27.
 Clover, alkali injury, 156.
 anthracnose, 155.
 dodder, 156.
Erysiphe polygoni, 156.
Gloeosporium caulivorum, 156.
 leaf blight, 156.
 leaf spot, 155.
Macrosporium, 156.
Phyllachora trifolii, 156.
Rhizoctonia root rot, 156.
 rust, 156.
Sclerotinia libertiana, 156.
 sooty soot, 156.
 stem blackening, 156.
Stemphyllium, 156.
 winter injury, 156.
 Club root, cabbage, 89.
 kohl-rabi, 94.
 mustard, 94.
 turnip, 94.
Coccomyces hiemalis (= *Cylindrosporium padi*), cherry, 30.
 kerriae, *Kerria japonica*, 181.
 prunophorae, plum, 28.
 sp., apricot, 32.
 Cocklebur, rust, 179.
 Texas root rot, 179.
 Cocoonut, bud rot, 184.
 Coffee, leaf spot, 184.
Coleosporium solidaginis, aster, 178.
 goldenrod, 180.
 spruce, 177.
 Collaborators, list of, 187.
 Collar rot, apple, 18.
Colletotrichum cereale, barley, 144.
 oats, 147.
 rye, 140.
 wheat, 136.
 falcatum, sugar cane, 165.
 gloeosporioides, citrus, 37.
 gossypii, (see also *Glomerella*),
 cotton, 161, 209.
 lagenarium, cantaloupe, 95.
 cucumber, 97.
 watermelon, 99.
 lindemuthianum, bean, 71, 203.

- lima bean, 112.
- lini, flax, 165.
- sp., Italian rye grass, 159.
- rhubarb, 185.
- vetch, 156.
- spinaciae, spinach, 117.
- trifolii, alfalfa, 153.
- clover, 155.
- Coniothecium scab, apple, 17.
- Coniethyrium diplodia, grape, 33.
- fuckelii, apple, 17.
- Cork, apple, 18.
- Corn, bacterial wilt, 150.
- brown spot, 149, 197.
- ear rot, Diplodia, 151.
- Fusarium, 150, 197.
- frenching, 151.
- leaf blight, 151.
- leaf rust, 197.
- mold, Aspergillus, 151.
- Cladosporium, 151.
- Rhizoctonia sp., 151.
- root rot, bacterial, 151.
- Fusarium, 150, 197.
- rust, 149.
- Sclerotium rolfsii, 151.
- smut, 148, 197.
- stalk rots, 150.
- Corticium salmonicolor, citrus, 39.
- gandul, 110.
- vagum, carnation, 179.
- var. solani, cabbage, 91.
- carrot, 103.
- pea, 115.
- potato, 49.
- spinach, 118.
- Coryneum beijerinckii, apricot, 32.
- peach, 23, 211.
- plum, 29.
- Cotton, angular leaf spot, 162, 209.
- anthracnose, 161, 209.
- black seed, 164.
- boll rot, 162.
- drought injury, 164.
- leaf spot, Alternaria, 164.
- Cercospora, 164.
- malnutrition, 163.
- potash hunger, 209.
- root knot, 163, 209.
- root rot, 163.
- shedding, 164.
- wilt, 160, 209.
- Covered smut, barley, 141, 194.
- oats, 144, 196.
- Crab grass, leaf spot, 159.
- Cracking, apple, 16.
- Cronartium cerebrum, jack pine, 177.
- comptoniae, Scotch pine, 177.
- ribicola, currant, 36.
- gooseberry, 37.
- pine, 175.
- Crop losses, 188.
- Croton, rust, 184.
- Crown gall, apple, 12.
- blackberry, 36.
- cherry, 31.
- euonymus, 179.
- grape, 32.
- pear, 19.
- plum, 29.
- quince, 21.
- raspberry, 35.
- rose, 182.
- Crown rot, eggplant, 109.
- Crown rust, buckthorn, 184.
- Crown wart, alfalfa, 153.
- Crucifers, 89.
- Cryptosporella viticola (=Fusicoccum viticolum), grape, 33.
- Cucumber, angular leaf spot, 98.
- anthracnose, 97.
- chlorosis, 99.
- dodder, 99.
- downy mildew, 98.
- mosaic, 97.
- powdery mildew, 99.
- Rhizoctonia sp., 99.
- root knot, 98.
- root rot, 98.
- scab, 98.
- stem rot, Sclerotinia, 98.
- Sclerotium, 99.
- wilt, bacterial, 97.
- Fusarium, 98.
- Cucurbits, 95.
- Curly dwarf, potato, 53.
- Curly top, beet, garden, 103.
- sugar beet, 166.
- Currant, angular leaf spot, 37.
- anthracnose, 36.
- cane blight, 36.
- leaf spot, 36.
- Nectria cinnabarina, 37.
- powdery mildew, 37.
- rust, 36.
- Cuscuta sp., cucumber, 99.

eggplant, 109.
 locust, 174.
 sugar beet, 169.
 spp., alfalfa, 155.
 clover, 156.
 Cyclamen, root knot, 179.
 Cystopus candidus (=Albugo candida),
 turnip, 94.
 Cystospora batata, potato, 58.
 sweet potato, 85, 207.
 Cystospora chrysosperma, poplar, 177.
 leucostoma, apple, 17.
 mountain ash, 175.

D

Dahlia, powdery mildew, 179.
 Damping off, cabbage, 92.
 lettuce, 112.
 pea, 115.
 Dandelion, fasciation, 179.
 Date, leaf smut, 184.
 leaf spot, 184.
 Dead branches, butternut, 170.
 Decay, apple, 16.
 Dematophora necatrix, grape, 33.
 Diachea leucopoda, strawberry, 34.
 Diaporthe batatatis, sweet potato,
 88.
 phaseolorum, bean, 77.
 lima bean, 112.
 Die-back, ampelopsis, 178.
 apple, 18.
 cacao, 184.
 peach, 24, 27.
 pecan, 41.
 Diplocarpon rosae (=Actinonema rosae),
 rose, 182.
 Diplodia natalensis, citrus, 39.
 sp., camphor tree, 170.
 citrus, 38.
 corn, 151.
 watermelon, 100.
 tubericola, sweet potato, 88.
 Dodder, alfalfa, 155.
 clover, 156.
 cucumber, 99.
 eggplant, 109.
 locust, 174.
 sugar beet, 169.
 Dothichiza populea, poplar, 177.
 Dothidella ulmea, elm, 173.
 Dothidia sp., birch, 170.

Downy mildew, alfalfa, 154.
 bean, 74.
 cabbage, 91.
 cantaloupe, 96.
 cucumber, 98.
 grape, 32.
 lettuce, 111.
 lima bean, 112.
 millet, 157.
 onion, 80.
 pea, 115.
 radish, 94.
 spinach, 117.
 squash, 99.
 turnip, 94.
 watermelon, 101.
 Dracaena, leaf spot, 179.
 Drop, cabbage, 93.
 lettuce, 110.
 parsley, 113.
 Drought injury, apple, 15.
 celery, 108.
 cotton, 164.
 lilac, 131.
 peach, 27.
 peanut, 116.
 pear, 19.
 plum, 29.
 rice, 151.
 soy bean, 116.
 sweet potato, 89.
 Dry root rot, bean, 73.
 Dry rot, Diaporthe, sweet potato,
 88.
 Schizophyllum, sweet potato, 88.
 Dry weather, watermelon, 102.

E

Early blight, celery, 105.
 parsnip, 113.
 potato, 44, 199.
 tomato, 63, 205.
 Ear rot, Diplodia, corn, 151.
 Fusarium, corn, 150, 197.
 Eggplant, crown rot, 109.
 dodder, 109.
 fruit rot, 109.
 Phcmopsis, 108.
 leaf spot, Alternaria, 109.
 Macrosporium, 109.
 root knot, 109.
 root rot, 109.

- wilt, bacterial, 108.
 Fusarium, 109.
 Verticillium, 109.
 Elder, *Nectria*, 173.
 rust, 173.
 Elm, branch canker, 173.
 frost injury, 174.
 leaf scorch, 174.
 leaf spot, 173.
 multiple buds, 173.
 root rot, 173.
 winter injury, 174.
Endothia parasitica, chestnut, 171.
 End rot, watermelon, 100.
 Ergot, barley, 144.
 quack grass, 158.
 rye, 137, 192.
 wheat, 136.
Erysiphe cichoracearum, cucumber, 99.
 dahlia, 179.
 golden glow, 180.
 phlox, 181.
 verbena, 183.
 zinnia, 183.
 graminis; barley, 144.
 brome grass, 158.
 oats, 148.
 rye, 140.
 wheat, 136.
 polygona, bean, 74.
 clover, 156.
 lima bean, 112.
 pea, 114.
 sweet pea, 183.
Euonymus, crown gall, 179.
 leaf spot, 180.
 root rot, 180.
 European canker, apple, 14.
Exoascus cerasi, ash, 170.
 cherry, 31.
 deformans, peach, 21, 211.
 pruni (= *Taphrina communis*), plum, 28.
Exosporium concentricum, euonymus, 180.
 privet, 182.
 palmivorum, date, 184.

 F
Fabraea maculata, pear, 19.
 quince, 20.
 False mildew, peach, 27.
 False stripe, barley, 144.
 Fasciation, apple, 18.
 asparagus, 102.
 dandelion, 179.
 Fescue grass, leaf spot, 158.
 Feverfew, *Rhizoctonia*, 180.
 Fibre crops, 160.
 Field crops, 42, 84.
 Fig, anthracnose, 40.
 rust, 40.
 Fire blight, apple, 3, 212.
 cherry, 31.
 pear, 18.
 quince, 20.
 Firing, lettuce, 112.
 Flax, canker, 165.
 rust, 164.
 wilt, 164.
 Flowering crab, rust, 180.
 Fly speck, apple, 14.
 Foot rot, celery, 105.
 citrus, 38.
 sweet potato, 85, 207.
 Forage crops, 153.
 Forest trees, 169.
 Frenching, citrus, 39.
 corn, 151.
 Frog-eye, apple, 18.
 Frost injury, apricot, 32.
 barley, 144.
 bean, 77.
 elm, 174.
 horse chestnut, 174.
 maple, 174.
 pea, 115.
 peach, 27.
 pear, 20.
 poplar, 177.
 watermelon, 102.
 Fruit crops, 1.
 Fruit rot, *Choanephora*, squash, 99.
 Diplodia, citrus, 39.
 eggplant, 109.
 Fusarium, cantaloupe, 96.
 peanut, 116.
 Phomopsis, eggplant, 108.
 Thielaviopsis, pineapple, 39.
 Fruit spot, apple, 11.
Fusarium batatas, sweet potato, 84, 207.
 bean, 203.
 conglutinans, cabbage, 89.
 eumartii, potato, 57.

hyperoxysporum, sweet potato, 84, 207.
lini, flax, 164.
lycopersici, tomato, 61, 63, 205.
malli, onion, 82.
 shallot, 116.
martii var. *phaseoli*, bean, 73.
oxysporum, potato, 46, 199.
radicicola, potato, 57.
sorghum, 152.
sp., alfalfa, 155.
 aster, 178.
 barley, 144.
 cantaloupe, 96.
 carnation, 179.
 citrus, 39.
 corn, 197.
 cucumber, 98.
 eggplant, 109.
 elm, 173.
 lettuce, 112.
 lima bean, 112.
 mignonette, 181.
 onion, 82.
 pea, 115.
 peanut, 116.
 peony, 181.
 soy bean, 116.
 squash, 99.
 sugar cane, 166.
 sweet pea, 183.
 teparty bean, 118.
 wheat, 133, 190.
spp., barley, 144.
 bean, 76.
 corn, 150.
 oats, 148.
 rye, 141.
 sugar beet, 169.
 sweet potato, 88.
 tomato, 63.
 watermelon, 101.
vasinfectum, cantaloupe, 96.
 cotton, 160, 209.
 watermelon, 101.
 var. *niveum*, cantaloupe, 96.
Fusicladium *efrusum*, pecan, 40.

G

Galls, birch, 170.
 rose, 182.
 Gandul, leaf spot, 110.

 pink disease, 110.
Geranium, bacteriosis, 180.
 Rhizoctonia, 180.
Ginseng, leaf spot, 185.
Gladiolus, hard rot, 180.
Gloeosporium *ampelophagum*, grape, 33.
 camperia, camphor tree, 170.
 caryae, hickory, 174.
 caulivorum, clover, 156.
 cingulatum, privet, 182.
 rosae, rose, 182.
 sp., box elder, 170.
 maple, 174.
 strawberry, 34.
Glomerella *cingulata*, apple, 5, 212.
 fig, 40.
 grape, 33.
 gossypii (see also *Colletotrichum*), cotton, 161, 209.
Glume spot, wheat, 136.
Gnomonia *veneta*, oak, 175.
 sycamore, 177.
 Golden glow, powdery mildew, 180.
 Goldenrod, orange rust, 180.
 Gooseberry, anthracnose, 37.
 leaf spot, 37.
 Nectria *cinnabarina*, 37.
 powdery mildew, 37.
 rust, *Cronartium*, 37.
 Puccinia, 37.
 Grand Rapids disease, tomato, 68.
 Grape, anthracnose, 33.
 bitter rot, 33.
 black rot, 32.
 crown gall, 32.
 downy mildew, 32.
 leaf spot, 33.
 lightning injury, 33.
 necrosis, 33.
 powdery mildew, 32.
 ripe rot, 33.
 root rot, *Dematophora*, 33.
 Ozonium, 33.
 sun scorch, 33.
 white rot, 33.
Graphiola *phoenicis*, date, 184.
 palm, 175.
 Grasses, 157.
 Gray leaf blotch, bean, 77.
 Gray leaf spot, lima bean, 113.
 Gray mold, carrot, 103.
 castor bean, 104.

citrus, 39.
 Green smut, rice, 151.
 Growth cracking, sweet potato, 89.
 Guignardia aesculi, horse chestnut, 174.
 bidwellii, ampelopsis, 178.
 grape, 32.
 Gummosis, apricot, 32.
 cherry, 31.
 peach, 27.
 Gymnoconia interstitialis, black-berry, 35.
 raspberry, 35.
 Gymnosporangium clavipes, quince, 20.
 juniperi-virginianae, apple, 8.
 flowering crab, 180.

H

Hail injury, apple, 16.
 pear, 19.
 Hard rot, gladiolus, 180.
 Head rot, lettuce, 112.
 Head smut, sorghum, 152.
 Heart rot, catalpa, 170.
 Helminthosporium gramineum, barley, 142, 194.
 sacchari, sugar cane, 166.
 sativum, barley, 142.
 sp., corn, 151.
 fescue grass, 158.
 oats, 147.
 sorghum, 152.
 sugar cane, 166.
 wheat, 137.
 teres, barley, 142.
 Heterodera radiculicola, bean, 77.
 beet, garden, 103.
 cabbage, 91.
 cantaloupe, 96.
 carnation, 179.
 celery, 108.
 cotton, 163, 209.
 cucumber, 98.
 cyclamen, 179.
 eggplant, 109.
 lettuce, 112.
 lima bean, 112.
 mustard, 94.
 okra, 113.
 onion, 83.
 pea, 115.
 peach, 24.

snapdragon, 183.
 soy bean, 116.
 squash, 99.
 sweet potato, 88.
 turnip, 94.
 watermelon, 101.
 schachtii, sugar beet, 166.
 sp., sugar cane, 166.
 Heterosporium gracile, iris, 180.
 Hickory, anthracnose, 174.
 Hollyhock, anthracnose, 180.
 leaf blight, 180.
 leaf spot, 180.
 root rot, 180.
 rust, 180.
 Hop, mildew, 185.
 winter injury, 185.
 Horse bean, leaf spot, 110.
 stem rot, 110.
 Horse chestnut, frost injury, 174.
 leaf blotch, 174.
 Horseradish, black streak, 93.
 Rhizoctonia, 93.
 Hydrangea, leaf spot, 180.

I

Illosporium malifoliorum, apple, 18.
 Internal brown spot, plum, 29.
 Internal decay, sweet potato, 88.
 Iris, leaf spot, Heterosporium, 180.
 Scolecotrichum, 180.
 soft rot, 181.
 Isariopsis griseola, bean, 77.
 lima bean, 113.
 Italian rye grass, anthracnose, 159.
 Ivy, Boston, leaf spot, 181.

J

Java black rot, sweet potato, 88.
 Jelly end rot, potato, 57.
 Jonathan spot, apple, 12.
 Juneberry, black knot, 169.
 brown rot, 169.
 June drop, apple, 17.
 Juniper, winter injury, 174.

K

Kale, Rhizoctonia, 93.
 Kernel smut, sorghum, 152.
 Kerria japonica, leaf disease, 181.

twig disease, 181.

Kohl-rabi, club root, 94.

Kuehneola albidia, blackberry, 36.

Kunkelia nitens, blackberry, 35.

L

Larch, Valsa abietis, 174.

Larkspur, bacterial spot, 181.

root rot, 181.

Lasiodiplodia triflorae, plum, 29.

Late blight, celery, 104.

potato, 42, 199.

tomato, 67.

Late frost injury, apple, 16.

Laurel, winter injury, 181.

Leaf blight, Alternaria, cantaloupe, 95.

bacterial, clover, 156.

Botrytis, peony, 181.

Cercospora, hollyhock, 180.

sweet potato, 88.

Fabraea, pear, 19.

quince, 20.

Helminthosporium, corn, 151.

oats, 147.

Macrosporium, onion, 81.

Mycosphaerella, strawberry, 33.

Phoma, bean, 77.

Scolecotrichum, timothy, 157.

Septoria, tomato, 205.

timothy, 157.

Leaf blotch, horse chestnut, 174.

peony, 181.

Leaf curl, peach, 21, 211.

plum, 28.

raspberry, 35.

Leaf disease, Kerria japonica, 181.

Leaf mold, tomato, 67.

Leaf roll, plum, 29.

potato, 53, 201.

Leaf rust, barley, 143.

Bromus ciliatus, 158.

corn, 197.

oats, 146.

rye, 140.

wheat, 130, 190.

Leaf scorch, elm, 174.

pine, 177.

Leaf smut, date, 184.

Leaf spot, Alternaria, bean, 76.

cotton, 164.

eggplant, 109.

okra, 113.

watermelon, 101.

Ascochyta, vetch, 156, 183.

bacterial, cabbage, 92.

celery, 106.

soy bean, 116.

velvet bean, 118.

beet, garden, 103.

black specked, maple, 174.

Cephaleuros, citrus, 39.

Cercospora, alfalfa, 154.

apple, 17.

arrowhead, 178.

ash, 170.

bean, 76.

beet, garden, 103.

cassava, 184.

castor bean, 104.

chard, 93.

chayote, 184.

coffee, 184.

cotton, 164.

gandul, 110.

grape, 33.

lettuce, 112.

lima bean, 113.

mangel, 113.

mustard, Chinese, 185.

okra, 113.

palm, 175.

pea, 115.

peanut, 115.

rice, 152.

rose, 182.

spinach, 117.

sugar beet, 166.

velvet bean, 118.

watermelon, 101.

zinnia, 183.

Coccomyces, cherry, 30.

plum, 28.

Diaporthe, bean, 77.

Dothidella, elm, 173.

Exosporium, date, 184.

euonymus, 180.

privet, 182.

ginseng, 165.

Guignardia, ampelopsis, 178.

Helminthosporium, fescue grass, 158.

sorghum, 152.

sugar cane, 166.

Heterosporium, iris, 180.

- horse bean, 110.
- Leptosphaeria, sugar cane, 165.
- Macrosporium, eggplant, 109.
- spinach, 117.
- maple, 174.
- Marssonina, butternut, 170.
- strawberry, 34.
- Mycosphaerella, currant, 36.
- gooseberry, 37.
- pear, 19.
- Phoma, sugar beet, 169.
- Phyllachora, bottle brush grass, 159.
- Phyllosticta, apple, 17.
- ash, 170.
- bean, 76.
- catalpa, 170.
- celery, 108.
- dracaena, 179.
- hollyhock, 180.
- ivy, Boston, 181.
- lilac, 181.
- lima bean, 112.
- maple, 174.
- pear, 20.
- rose, 182.
- sugar beet, 169.
- sweet potato, 87.
- Phytophthora, pea, 115.
- Piricularia, crab grass, 159.
- millet, 157.
- Pseudopeziza, alfalfa, 153.
- clover, 155.
- willow, 178.
- Pucciniopsis, papaya, 185.
- purplish, sweet potato, 88.
- Ramularia, buckwheat, 152.
- Rhynchosporium, barley, 144.
- Scolecotrichum, iris, 180.
- Septoria, blackberry, 36.
- chrysanthemum, 179.
- hydrangea, 180.
- lettuce, 112.
- poplar, 177.
- raspberry, 35.
- rose, 182.
- sweet potato, 87.
- velvet bean, 118.
- wheat, 136.
- willow, 178.
- sorghum, 152.
- tar, maple, 174.
- Vermicularia, spinach, 118.
- yucca, 183.
- Leaf stripe, wheat, 137.
- Leaf wart, mangel, 113.
- Leak, tomato, 69.
- Legumes, 153.
- Leptosphaeria coniothyrium, apple, 16.
- blackberry, 36.
- raspberry, 34.
- rose, 182.
- sacchari, sugar cane, 165.
- Leptothyrium pomi, apple, 14.
- Lettuce, brown mold, 112.
- damping off, 112.
- downy mildew, 111.
- drop, 110.
- firing, 112.
- Fusarium sp., 112.
- gray mold rot, 110.
- head rot, 112.
- leaf spot, Cercospora, 112.
- Septoria, 112.
- Rio Grande disease, 111.
- root knot, 112.
- rosette, 111.
- rot, bacterial leaf, 112.
- bacterial soft, 112.
- slimy soft, 112.
- shot hole, 111.
- stem rot, 111.
- tip burn, 111.
- Lichen injury, magnolia, 174.
- Lightning injury, grape, 33.
- potato, 54.
- Lilac, drought injury, 181.
- leaf spot, 181.
- mildew, 181.
- Lima bean, anthracnose, 112.
- bacterial blight, 112.
- downy mildew, 112.
- Fusarium sp., 112.
- gray leaf spot, 113.
- leaf spot, Cercospora, 113.
- Phyllosticta, 112.
- mildew, 112.
- mosaic, 112.
- pod blight, Diaporthe, 112.
- Phoma, 112.
- root knot, 112.
- root rot, Ozonium, 112.
- Rhizoctonia, 112.
- rust, 112.
- Little peach, peach, 22.
- Little plum, plum, 29.

Locust, blight, 174.--
 dodder, 174.
 Loose smut, barley, 141, 194.
 oats, 144, 196.
 wheat, 129, 190.

M

Macrosporium cheiranthi, spinach, 117.
 clover, 156.
 solani, potato, 44, 199.
 tomato, 63, 205.
 sp., eggplant, 109.
 onion, 81.
 sugar cane, 165.
Magnolia, lichen injury, 174.
 root rot, 174.
 Mallow, rust, 181.
 Malnutrition, cabbage, 93.
 cotton, 163.
 potato, 50.
 Mangel, leaf spot, 113.
 leaf wart, 113.
 Maple, anthracnose, 174.
 frost injury, 174.
 leaf spot, 174.
 black specked, 174.
Phyllosticta, 174.
 tar, 174.
 sun scald, 174.
 tip burn, 174.
Marasmius plicatus, sugar cane, 165.
Marssonina juglandis, butternut, 170.
 walnut, black, 177.
 panattoniana, lettuce, 111.
 potentillae, strawberry, 34.
 sp., poplar, 177.
 Meadow grass, *Puccinia poarum*, 158.
 silver top, 158.
 Measles, apple, 18.
Melampsora lini, flax, 164.
 saliciscoprae, willow, 178.
 sp., poplar, 177.
 willow, 178.
Melampsoropsis ledicola, spruce, 177.
Melanconium fuligineum, grape, 33.
 oblongum, butternut, 170.
 sacchari, sugar cane, 165.
 Melanose, citrus, 37.
Microsphaera alni, lilac, 181.
 pecan, 41.
 Mignonette, root rot, 181.

Mildew, hop, 185.
 lilac, 181.
 lima bean, 112.
 pea, 114.
 rose, 182.
 tulip tree, 177.
 willow, 178.
 Millet, blight, 157.
 downy mildew, 157.
 leaf spot, 157.
 smut, 157.
 Miscellaneous crops, 102.
 Miscellaneous plants, 184.
 Mold, *Aspergillus*, corn, 151.
Cladosporium, corn, 151.
Monilochaetes infusans, sweet potato, 86.
 Mosaic, bean, 72, 203.
 celery, 108.
 cucumber, 97.
 lima bean, 112.
 onion, 83.
 peony, 181.
 potato, 52, 201.
 raspberry, 35.
 squash, 99.
 tomato, 63.
 Mottle leaf, citrus, 39.
 Mottling, sugar cane, 165.
 Mountain ash, canker, 175.
 winter injury, 175.
 Mulberry, bacterial blight, 175.
 blight, 175.
 Texas root rot, 175.
 Multiple buds, elm, 173.
 Mustard, club root, 94.
 root knot, 94.
 Mustard, Chinese, leaf spot, 185.
Mycosphaerella fragariae, strawberry, 33.
 grossulariae, currant, 36.
 (=Septoria ribis), gooseberry, 37.
 pinodes, (=Ascochyta pisi), pea, 114.
 rubina, raspberry, 35.
 sentina (=Septoria pyricola), pear, 19.
Myxosporium corticolum, apple, 17.

N

Nailhead spot, tomato, 64.

Neck rot, onion, 81.
 Necrosis, grape, 33.
 Nectria cinnabarina, box elder, 170.
 currant, 37.
 elm, 173.
 gooseberry, 37.
 oak, 175.
 galligena, apple, 14.
 ipomoeae, sweet potato, 88.
 sp., elder, 173.
 Nematode (see also root knot).
 sugar beet, 166.
 wheat, 134.
 Neofabraea malicorticis, apple, 9.
 Net blotch, barley, 142.
 Net necrosis, potato, 58.
 Northwestern anthracnose, apple, 9.
 Nummularia discreta, apple, 6.
 Nuts, 40.

O

Oak, anthracnose, 175.
 Nectria cinnabarina, 175.
 twig blight, 175.
 Oats, anthracnose, 147.
 bacterial blights, 148.
 covered smut, 144, 196.
 leaf blight, 147.
 loose smut, 144, 196.
 powdery mildew, 148.
 red blade, 148.
 root rot, 148.
 Rhizoctonia, 148.
 rust, leaf, 146.
 stem, 146.
 scab, 148.
 smuts, 144, 196.
 sterility, 147.
 Oedema, cabbage, 93.
 Okra, blossom blight, 113.
 leaf spot, Alternaria, 113.
 Cercospora, 113.
 Rhizoctonia injury, 113.
 root knot, 113.
 root rot, 113.
 wilt, 113.
 Onion, black mold, 82.
 blossom blast, 83.
 downy mildew, 80.
 leaf blight, 81.
 mosaic, 83.
 neck rot, 81.

pink root, 82.
 root knot, 83.
 rot, bacterial, 83.
 Fusarium, 82.
 Sclerotinia, 83.
 smudge, 81.
 smut, 77, 210.
 tip burn, 83.
 Orange rust, aster, 178.
 blackberry, 35.
 goldenrod, 180.
 Ornamental plants, 178.
 Ozonium omnivorum, alfalfa, 154.
 apple, 10.
 bean, 76, 203.
 catalpa, 170.
 castor bean, 104.
 cocklebur, 179.
 cotton, 163.
 elm, 173.
 euonymus, 180.
 grape, 33.
 hollyhock, 180.
 lima bean, 112.
 magnolia, 174.
 mulberry, 175.
 okra, 113.
 peach, 27.
 pear, 20.
 privet, 182.
 quince, 20.
 rose, 162.
 spiraea, 183.
 sweet potato, 83.
 tamarix, 183.
 tepary bean, 118.

P

Palm, leaf spot, 175.
 smut, 175.
 Papaya, leaf spot, 185.
 Parsley, drop, 113.
 Parsnip, early blight, 113.
 soft rot, 113.
 Patellina sp., strawberry, 34.
 Pea, blight, Ascochyta, 114.
 bacterial, 114.
 Septoria, 114.
 damping off, 115.
 downy mildew, 115.
 frost injury, 115.
 leaf spot, Cercospora, 115.

- Phytophthora*, 115.
 mildew, 114.
 root knot, 115.
 root rots, *Fusarium*, 115.
 Thielavia, 115.
 stem rot, 115.
 white pod spot, 115.
 Peach, black spot, 23.
 brown rot, 21, 211.
 canker, 27.
 chlorosis, 27.
 Coryneum blight, 23, 211.
 die-back, 24, 27.
 drought injury, 27.
 false mildew, 27.
 frost injury, 27.
 gummosis, 27.
 leaf curl, 21, 211.
 little peach, 22.
 powdery mildew, 23.
 production, 26.
 root knot, 24.
 root rots, *Armillaria*, 27.
 Clitocybe, 27.
 Ozonium, 27.
 rot, *Rhizopus*, 27.
 rosette, 22.
 rust, 27.
 scab, 22, 211.
 winter injury, 24.
 wood rots, 27.
 yellows, 22, 211.
 Peanut, drought injury, 116.
 fruit rot, 116.
 leaf spot, 115.
 rust, 116.
 stem rot, *Botrytis*, 116.
 Fusarium, 116.
 wilt, 116.
 yellows, 116.
 Pear, black rot, 19.
 brown blotch, 19.
 brown rot, 20.
 canker, 19.
 crown gall, 19.
 drought injury, 19.
 fire blight, 18.
 frost injury, 20.
 hail injury, 19.
 leaf blight, 19.
 leaf spot, *Mycosphaerella*, 19.
 Phyllosticta, 20.
 red leaf, 19.
 root rot, 20.
 rots, miscellaneous, 20.
 scab, 19.
 Septobasidium pedicellatum, 20.
 winter injury, 19, 20.
 Pecan, black pit, 41.
 die-back, 41.
 powdery mildew, 41.
 rosette, 40.
 scab, 40.
 winter injury, 41.
Penicillium, apple, 16.
 expansum, apple, 12.
 sp., apple, 17.
 citrus, 38.
 Peony, leaf blight, 181.
 leaf blotch, 181.
 mosaic, 181.
 root rot, 181.
 stem rot, *Fusarium*, 181.
 Sclerotinia, 181.
Peronospora effusa, spinach, 117.
 parasitica, cabbage, 91.
 radish, 94.
 turnip, 94.
 schleideni, onion, 80.
 trifoliorum, alfalfa, 154.
 viciae, pea, 115.
 Phlox, powdery mildew, 181.
Phoma apiicola, celery, 108.
 betae, sugar beet, 169.
 destructiva, tomato, 69.
 lingam, cabbage, 90.
 pomi, apple, 11.
 sp., alfalfa, 155.
 bean, 77.
 potato, 51, 59.
 subcircinata, lima bean, 112.
Phomopsis citri, citrus, 37, 38.
 vexans, eggplant, 108.
Phragmidium imitans, raspberry, 35.
 sp. rose, 182.
Phyllachora graminis, bottle brush
 grass, 159.
 pomigena, apple, 14.
 trifolii, clover, 156.
Phyllosticta althaeina, hollyhock,
 180.
 ampelopsidis, Boston ivy, 181.
 batatas, sweet potato, 87.
 betae, sugar beet, 169.
 catalpac, catalpa, 170.
 halstedii, lilac, 181.

- maculicola, dracaena, 179.
- phaseolina, bean, 76.
 - lima bean, 112.
- pyrina, apple, 17.
 - pear, 20.
- rosicola, rose, 182.
- solitaria, apple, 7, 212.
- sp., celery, 108.
 - maple, 174.
- viridis, ash, 170.
- Physalospora cydoniae (=Sphaeropsis
 - malorum), apple, 6, 16, 212.
 - ash, 170.
 - pear, 19.
 - quince, 20.
 - sumach, 177.
- Physarum cinereum, strawberry, 34.
- Physoderma zeae-maydis, corn, 149, 197.
- Physopella fici (=Uredo fici), fig, 40.
- Phytophthora cactorum, apple, 17.
 - infestans, potato, 42, 199.
 - tomato, 67.
- phaseoli, lima bean, 112.
- sp., pea, 115.
- terrestria, bean, 74.
 - citrus, 38.
 - tomato, 67.
- Pigweed, white rust, 182.
- Pimple disease, apple, 18.
- Pineapple, fruit rot, 39.
- Pineapple disease, sugar cane, 165.
- Pine, blister rust, 175.
 - canker, 177.
 - leaf scorch, 177.
 - winter injury, 177.
- Pine, jack, rust, 177.
- Pine, Scotch, rust, 177.
- Pink disease, citrus, 39.
 - gandul, 110.
- Pink root, onion, 82.
 - shallot, 116.
- Piricularia grisea, crab grass, 159.
 - millet, 157.
 - rice, 151.
- Plasmodiophora brassicae, cabbage, 89.
 - kohl-rabi, 94.
 - mustard, 94.
 - turnip, 94.
- Plasmopara viticola, grape, 32.
- Plectodiscella veneta (=Gloeosporium
 - venetum), blackberry, 36.
- raspberry, 34.
- Plenodomus destruens, sweet potato, 85, 207.
- Plowrightia morbosa, cherry, 30.
 - juneberry, 169.
 - plum, 28.
- Plum, black knot, 28.
 - black spot, 29.
 - blight, 29.
 - brown rot, 27.
 - crown gall, 29.
 - drought injury, 29.
 - internal brown spot, 29.
 - leaf curl, 28.
 - leaf roll, 29.
 - leaf spot, 28.
 - little plum, 29.
 - pockets, 28.
 - powdery mildew, 29.
 - root rot, 29.
 - rust, 29.
 - scab, 29.
 - silver leaf, 29.
 - sun scald, 29.
 - wilt, 29.
 - winter injury, 29.
- Pockets, plum, 28.
- Pod blight, Diaporthe, lima bean, 112.
- Phoma, bean, 77.
 - lima bean, 112.
- Podosphaera leucotricha, apple, 12.
 - oxyacanthae, cherry, 31.
 - plum, 29.
 - sp., quince, 21.
- Pod spot, bean, 77.
- Polystictus versicolor, catalpa, 170.
- Polythrincium trifolii, clover, 156.
- Pome fruits, 1.
- Poplar, anthracnose, 177.
 - canker, Cytospora, 177.
 - Dothichiza, 177.
 - frost injury, 177.
 - leaf spot, 177.
 - rust, 177.
- Potash hunger, cotton, 209.
- Potato, black heart, 58.
 - black leg, 48, 199.
 - chlorosis, 59.
 - curly dwarf, 53.
 - early blight, 44, 199.
 - jelly end rot, 57.
 - late blight, 42, 199.
 - leaf roll, 53, 201.

- lightning injury, 54.
 malnutrition, 50.
 mosaic, 52, 201.
 mushroom root rot, 58.
 net necrosis, 58.
 powdery scab, 57.
Rhizoctonia, 199.
 scab, 55.
Sclerotium blight, 59.
 scurf, 49.
 silver scurf, 57.
 slimy soft rot, 59.
 soil rot, 58.
 spindling sprout, 59.
 stem blight, 51, 59.
 stem end rot, 57.
 stem rot, 49.
 streak, 59.
 tip burn, 45, 201.
 unusual tuber formation, 58.
 wart, 57.
 wilt, bacterial, 47.
 Fusarium, 46, 199.
 Verticillium, 47, 201.
 Powdery mildew, apple, 12.
 barley, 144.
 bean, 74.
 brome grass, 158.
 cherry, 31.
 chrysanthemum, 179.
 cucumber, 99.
 currant, 37.
 dahlia, 179.
 golden glow, 180.
 gooseberry, 37.
 grape, 32.
 oats, 148.
 peach, 23.
 pecan, 41.
 phlox, 181.
 plum, 29.
 quince, 21.
 rye, 140.
 strawberry, 34.
 sunflower, 183.
 sweet pea, 183.
 verbena, 183.
 wheat, 136.
 zinnia, 183.
 Powdery scab, potato, 57.
 Pox canker, apple, 16.
 Privet, anthracnose, 182.
 leaf spot, 182.
 root rot, 182.
 winter injury, 182.
 Production, peach, 26.
Pseudoperonospora cubensis, can-
 taloupe, 96.
 cucumber, 98.
 squash, 99.
 watermelon, 101.
Pseudopeziza medicaginis, alfalfa,
 153.
 ribis, currant, 36.
 gooseberry, 37.
 salicis, willow, 178.
 trifolii, clover, 155.
Puccinia antirrhinum, snapdragon,
 182.
 asparagi, asparagus, 102.
 cannae, canna, 179.
 coronata, huckthorn, 184.
 oats, 146.
 cynodontis, Bermuda grass, 159.
 dispersa, rye, 140.
 fraxinata, ash, 170.
 glumarum, barley, 143.
 wheat, 133.
 graminis, *Agropyron tenerum*, 158.
 barley, 143.
 oats, 146.
 quack grass, 157.
 red top, 157.
 rye, 139.
 wheat, 129, 190.
 helianthi, artichoke, 102.
 sunflower, 183.
 malvacearum, hollyhock, 180.
 mallow, 181.
 phlei-pratensis, timothy, 157.
 poarum, meadow grass, 158.
 pruni-spinosae (= *Tranzschelia*
 punctata), peach, 27.
 ribis, gooseberry, 37.
 simplex, barley, 143.
 sorghii, corn, 149, 197.
 triticea, wheat, 130, 190.
 violae, violet, 183.
 xanthi, cocklebur, 179.
Pucciniopsis caricae, papaya, 185.
 Pumpkin, bacterial wilt, 99.
 sterility, 99.
Pyrenopeziza medicaginis, alfalfa,
 153.
Pythiacystis citrophthora, citrus, 39.
Pythium de baryanum, cabbage, 92.

Q

Quack grass, ergot, 158.
 stem rust, 157.
 Quince, black rot, 20.
 crown gall, 21.
 fire blight, 20.
 leaf blight, 20.
 powdery mildew, 21.
 root rot, 20.
 rust, 20.
 winter injury, 21.

R

Radish, black rot, 94.
 downy mildew, 94.
 Rhizoctonia, 94.
 soft rot, 94.
 white rust, 94.
 Ramularia sp., buckwheat, 152.
 Raspberry, anthracnose, 34.
 Armillaria mellea, 35.
 Botrytis, 35.
 cane blight, 34.
 crown gall, 35.
 leaf curl, 35.
 leaf spot, 35.
 mosaic, 35.
 rust, Gymnoconia, 35.
 Phragmidium, 35.
 Sphaerotheca humuli, 35.
 spur blight, 35.
 wilt, 35.
 winter injury, 35.
 yellows, 34.
 Red blade, oats, 148.
 Red leaf, pear, 19.
 Red rot, sugar cane, 165.
 Red spot of sheath, sugar cane, 165.
 Red top, stem rust, 157.
 Rhizoctonia, asparagus, 103.
 barley, 144.
 bean, 203.
 celery, 107.
 clover, 156.
 kale, 93.
 oats, 148.
 okra, 113.
 potato, 199.
 radish, 94.
 rose, 182.
 solani, bean, 75.

potato, 49.
 tomato, 70.
 sp., alfalfa, 154.
 buckwheat, 152.
 corn, 151.
 cucumber, 99.
 eggplant, 109.
 feverfew, 180.
 geranium, 180.
 horseradish, 93.
 larkspur, 181.
 lettuce, 111.
 lima bean, 112.
 rhubarb, 185.
 strawberry, 34.
 sugar beet, 169.
 sweet potato, 88.
 spinach, 118.
 Rhizopus nigricans, strawberry, 33.
 sweet potato, 86.
 tomato, 69.
 peach, 27.
 sp., bean, 76.
 Rhubarb, anthracnose, 185.
 Rhizoctonia, 185.
 root rot, 185.
 Rhynchosporium graminicola, barley, 144.
 rye, 141.
 Rhytisma acerinum, maple, 174.
 liriodendri, tulip tree, 177.
 punctatum, maple, 174.
 salicinum, willow, 178.
 Rice, blast, 151.
 blight, 151.
 drought injury, 151.
 green smut, 151.
 leaf spot, 152.
 smut, 151.
 Rind disease, sugar cane, 165.
 Rio Grande disease, lettuce, 111.
 Ripe rot, grape, 33.
 Root knot, bean, 77.
 beet, garden, 103.
 cabbage, 91.
 cantaloupe, 96.
 carnation, 179.
 celery, 108.
 cotton, 163, 209.
 cucumber, 98.
 cyclamen, 179.
 eggplant, 109.
 lettuce, 112.

- lima bean, 112.
- mustard, 94.
- okra, 113.
- onion, 83.
- pea, 115.
- peach, 24.
- snapdragon, 183.
- soy bean, 116.
- squash, 99.
- sugar cane, 166.
- sweet potato, 88.
- turnip, 94.
- watermelon, 101.
- Root rots, apple, 10.
 - alkali, castor bean, 104.
 - Armillaria, apple, 10:
 - cherry, 31.
 - peach, 27.
 - plum, 29.
 - bacterial, corn, 151.
 - rhubarb, 185.
 - Clitocybe, apple, 10.
 - cherry, 31.
 - peach, 27.
 - Corticium, cabbage, 91.
 - carnation, 179.
 - Dematophora, grape, 33.
 - Fusarium, alfalfa, 155.
 - barley, 144.
 - bean, 76, 203.
 - corn, 150, 197.
 - mignonette, 181.
 - pea, 115.
 - peony, 181.
 - Marasmius, sugar cane, 165.
 - mushroom, potato, 58.
 - Nectria, sweet potato, 88.
 - oats, 148.
 - Ozonium, alfalfa, 154.
 - apple, 10.
 - bean, 76, 203.
 - catalpa, 170.
 - cotton, 163.
 - elm, 173.
 - euonymus, 180.
 - grape, 33.
 - hollyhock, 180.
 - lima bean, 112.
 - magnolia, 174.
 - okra, 113.
 - peach, 27.
 - pear, 20.
 - privet, 182.
 - quince, 20.
 - rose, 182.
 - spiraea, 183.
 - sweet potato, 88.
 - tamarix, 183.
 - tefary bean, 118.
 - Rhizoctonia, alfalfa, 154.
 - barley, 144.
 - bean, 203.
 - clover, 156.
 - eggplant, 109.
 - larkspur, 131.
 - lima bean, 112.
 - oats, 148.
 - sugar beet, 169.
 - Sclerotinia, alfalfa, 153.
 - cucumber, 98.
 - Sclerotium, soy bean, 116.
 - velvet bean, 118.
 - Thielavia, pea, 115.
 - Xylaria, apple, 10.
 - Rose, anthracnose, 182.
 - black spot, 182.
 - bud rot, 182.
 - cane blight, 182.
 - chlorosis, 182.
 - crown gall, 182.
 - gall, 182.
 - leaf spot, Cercospora, 182.
 - Phyllosticta, 132.
 - Septoria, 182.
 - mildew, 182.
 - Rhizoctonia, 182.
 - root rot, 182.
 - rust, 132.
 - winter injury, 182.
 - Rosette, apple, 18.
 - lettuce, 111.
 - peach, 22.
 - pecan, 40.
 - Rot, Alternaria, apple, 17.
 - squash, 99.
 - bacterial, celery, 106.
 - bacterial soft, carrot, 103.
 - iris, 181.
 - lettuce, 112.
 - onion, 83.
 - parsnip, 113.
 - radish, 94.
 - spinach, 117.
 - tomato, 68.
 - turnip, 94.
 - Botrytis, apple, 17.

- bean, 75.
 - cabbage, 92.
 - celery, 108.
 - Cephalothecium, apple, 17.
 - Diachea, strawberry, 34.
 - Fusarium, onion, 82.
 - watermelon, 101.
 - gray mold, lettuce, 110.
 - strawberry, 33.
 - miscellaneous, pear, 20.
 - Patellina, strawberry, 34.
 - Penicillium, apple, 17.
 - Phoma, sugar beet, 169.
 - tomato, 69.
 - Physarum, strawberry, 34.
 - Phytophthora, apple, 17.
 - Rhizoctonia, sweet potato, 88.
 - Rhizopus, bean, 76.
 - peach, 27.
 - strawberry, 33.
 - sweet potato, 86.
 - tomato, 69.
 - Sclerotinia, beet, garden, 103.
 - carrot, 103.
 - onion, 83.
 - tomato, 70.
 - Sclerotinia soft, carrot, 103.
 - slimy soft, cabbage, 91.
 - celery, 107.
 - lettuce, 112.
 - potato, 59.
 - storage, apple, 17.
 - sweet potato, 88, 207.
 - Trichoderma, sweet potato, 88.
 - Rough bark disease, apple, 17.
 - Rust, alfalfa, 155.
 - apple, 8.
 - artichoke, 102.
 - ash, 170.
 - asparagus, 102.
 - bean, 72.
 - canna, 179.
 - carnation, 179.
 - citrus, 39.
 - clover, 156.
 - cocklebur, 179.
 - corn, 149.
 - croton, 184.
 - currant, 36.
 - elder, 173.
 - fig, 40.
 - flax, 164.
 - flowering crab, 180.
 - gooseberry, 37.
 - Hollyhock, 180.
 - jack pine, 177.
 - lima bean, 112.
 - mallow, 181.
 - peach, 27.
 - peanut, 116.
 - pine, 177.
 - plum, 29.
 - poplar, 177.
 - quince, 20.
 - raspberry, 35.
 - rose, 182.
 - Scotch pine, 177.
 - snapdragon, 182.
 - spruce, 177.
 - sunflower, 183.
 - tepany bean, 113.
 - timothy, 157.
 - vetch, 156, 183.
 - violet, 183.
 - willow, 178.
 - Rye, anthracnose, 140.
 - ergot, 137, 192.
 - powdery mildew, 140.
 - Rhynchosporium graminicola, 141.
 - rust, leaf, 140.
 - stem, 139.
 - scab, 141.
 - stem smut, 139, 192.
 - sterility, 141.
 - wilt, 141.
- S
- Salvia, Cladosporium aphidis, 182.
 - Sap rot, apple, 18.
 - catalpa, 170.
 - Scab, apple, 1, 212.
 - apricot, 32.
 - barley, 144.
 - beet, garden, 103.
 - celery, 108.
 - citrus, 37.
 - cucumber, 98.
 - oats, 148.
 - peach, 22, 211.
 - pear, 19.
 - pecan, 40.
 - plum, 29.
 - potato, 55.
 - rye, 141.
 - spinach, 118.

- squash, 99.
 sugar beet, 169.
 wheat, 133, 190.
 Scald, apple, 16.
 Scaly bark, citrus, 39.
 Schizophyllum alneum, sweet potato, 88.
 commune, apple, 18.
 Sclerospora graminicola, millet, 157.
 Sclerotinia cinerea, apple, 13.
 apricot, 32.
 cherry, 30.
 juneberry, 169.
 peach, 21, 211.
 pear, 20.
 plum, 27.
 fuckeliana, tulip, 183.
 libertiana, alfalfa, 154.
 bean, 75.
 beet, garden, 103.
 cabbage, 93.
 carrot, 103.
 celery, 105.
 clover, 156.
 cucumber, 98.
 lettuce, 110.
 parsley, 113.
 peony, 181.
 tomato, 70.
 sp., carrot, 103.
 catalpa, 170.
 onion, 83.
 trifoliorum, alfalfa, 153.
 Sclerotium bataticola, sweet potato, 88.
 rolfsii, artichoke, 102.
 bean, 75.
 cabbage, 93.
 cantaloupe, 96.
 corn, 151.
 eggplant, 109.
 peanut, 116.
 potato, 59.
 soy bean, 116.
 sugar beet, 169.
 sugar cane, 165.
 sweet potato, 88.
 velvet bean, 118.
 watermelon, 101.
 sp., cucumber, 99.
 Scolecotrichum graminis, timothy, 157.
 iridis, iris, 180.
 Scurf, potato, 4.
 sweet potato, 86.
 Septobasidium pedicellatum, pear, 20.
 retiforme, apple, 18.
 Septoria bataticola, sweet potato, 87.
 chrysanthemi, chrysanthemum, 179.
 gladioli, gladiolus, 180.
 hydrangeae, hydrangea, 180.
 lactucae, lettuce, 112.
 lycopersici, tomato, 60, 205.
 petroselini var. apii, celery, 104.
 pisi, pea, 114.
 populi, poplar, 177.
 rosae, rose, 182.
 rubi, blackberry, 36.
 raspberry, 35.
 sp., velvet bean, 118.
 willow, 178.
 spp., wheat, 136.
 Shallot, pink root, 116.
 Shedding, cotton, 164.
 Shot hole, apricot, 32.
 lettuce, 111.
 Silver leaf, apple, 17.
 plum, 29.
 Silver scurf, potato, 57.
 Silver top, meadow grass, 158.
 Small fruits, 32.
 Smallpox, apple, 18.
 Smudge, onion, 81.
 Smut, brome grass, 158.
 corn, 148, 197.
 millet, 157.
 oats, 144, 196.
 onion, 77, 210.
 palm, 175.
 rice, 151.
 timothy, 157.
 Snapdragon, root knot, 133.
 rust, 182.
 Soil rot, potato, 58.
 sweet potato, 85, 207.
 tomato, 70.
 Soil trouble, apple, 17.
 Sooty blotch, apple, 14.
 Sooty mold, citrus, 39.
 Sooty spot, clover, 156.
 Sorghum, bacterial blight, 152.
 blight, 152.
 bud blight, 152.
 Fusarium, 152.

- head smut, 152.
- kernel smut, 152.
- leaf spot, 152.
- Helminthosporium, 152.
- Soy bean, bacterial leaf spot, 116.
- drought injury, 116.
- root knot, 116.
- root rot, 116.
- wilt, 116.
- Sphacelotheca reliana, sorghum, 152.
- sorghi, sorghum, 152.
- Sphaeronema fimbriatum, sweet potato, 85, 207.
- Sphaeropsis conglobata, birch, 170.
- Sphaerotheca humuli, hop, 185.
- raspberry, 35.
- strawberry, 34.
- mors-uvae, currant, 37.
- gooseberry, 37.
- pannosa, peach, 23.
- rose, 182.
- Spinach, anthracnose, 117.
- blight, 116.
- downy mildew, 117.
- leaf spot, Cercospora, 117.
- Macrosporium, 117.
- Vermicularia, 118.
- Rhizoctonia, 118.
- scab, 118.
- soft rot, 117.
- Spindling sprout, potato, 59.
- Spiraea, root rot, 183.
- Spondylocadium atrovirens, potato, 57.
- Spongospora subterranea, potato, 57.
- Sporotrichum sp., meadow grass, 158.
- Spot blotch, barley, 142.
- Spot necrosis, apple, 17.
- Spray injury, apple, 16.
- Spruce, rust, Coleosporium, 177.
- Melampsoropsis, 177.
- Spur blight, raspberry, 35.
- Squash, downy mildew, 99.
- fruit rot, 99.
- mosaic, 99.
- root knot, 99.
- rot, 99.
- scab, 99.
- sterility, 99.
- wilt, bacterial, 99.
- Fusarium, 99.
- Stagonospora carpathica, alfalfa, 155.
- curvula, broom corn, 184.
- gigantea, century plant, 179.
- Stalk rots, corn, 150.
- Stem blackening, clover, 156.
- Stem blight, potato, 51, 59.
- Stem canker, buckwheat, 152.
- Stem end rot, citrus, 38.
- potato, 57.
- Stemphyllium, clover, 156.
- Stem rot, Botrytis, carnation, 179.
- peanut, 116.
- Corticium, pea, 115.
- potato, 49.
- Fusarium, bean, 76.
- peanut, 116.
- peony, 181.
- sweet potato, 84, 207.
- horse bean, 110.
- Rhizoctonia, bean, 75.
- lettuce, 111.
- Sclerotinia, cucumber, 98.
- peony, 181.
- Sclerotium, cantaloupe, 96.
- cucumber, 99.
- sweet potato, 88.
- Stem rust, Agropyron tenerum, 158.
- barley, 143.
- oats, 146.
- quack grass, 157.
- red top, 157.
- rye, 139.
- wheat, 129, 190.
- Stem smut, rye, 139, 192.
- Stereum purpureum, apple, 17.
- versicolor, catalpa, 170.
- Sterility, oats, 147.
- pumpkin, 99.
- rye, 141.
- squash, 99.
- Stone fruits, 21.
- Storage rot, apple, 17.
- sweet potato, 88, 207.
- Strawberry, anthracnose, 34.
- leaf blight, 33.
- leaf spot, 34.
- powdery mildew, 34.
- Rhizoctonia, 34.
- rot, Diachea, 34.
- gray mold, 33.
- Patellina, 34.
- Physarum, 34.
- Rhizopus, 33.
- Streak, potato, 59.

Stripe, barley, 142, 194.
 wheat, 137.
 Stripe rust, barley, 143.
 wheat, 133.
 Subtropical fruits, 37.
 Sugar beet, *Alternaria*, 169.
 curly top, 166.
 dodder, 169.
 Fusarium spp., 169.
 leaf spot, *Cercospora*, 166.
 Phoma, 169.
 Phyllosticta, 169.
 nematode, 166.
 Phoma rot, 169.
 root rot, 169.
 scab, 169.
 Sclerotium rolfsii, 169.
 Sugar cane, *Cladosporium* sp., 166.
 Fusarium sp., 166.
 Helminthosporium sp., 166.
 leaf spot, *Helminthosporium*, 166.
 Leptosphaeria, 165.
 Macrosporium sp., 165.
 mottling, 165.
 pineapple disease, 165.
 red rot, 165.
 red spot of sheath, 165.
 rind disease, 165.
 root knot, 166.
 root rot, 165.
 Sclerotium rolfsii, 165.
 winter injury, 165.
 yellow stripe, 165.
 Sugar crops, 165.
 Sumach, canker, 177.
 Sunflower, powdery mildew, 183.
 rust, 183.
 Sun scald, apple, 16.
 bean, 76.
 maple, 174.
 plum, 29.
 Sun scorch, grape, 33.
 Surface canker, apple, 17.
 Sweet pea, powdery mildew, 183.
 wilt, 183.
 Sweet potato, black rot, 85, 207.
 blight, 88.
 charcoal rot, 88.
 chlorosis, 88.
 drought injury, 89.
 dry rot, *Diaporthe*, 88.
 Schizophyllum, 88.
 foot rot, 85, 207.

 growth cracking, 89.
 internal decay, 88.
 Java black rot, 88.
 leaf blight, 88.
 leaf spot, *Phyllosticta*, 87.
 Septoria, 87.
 purplish leaf spot, 88.
 root knot, 88.
 root rot, *Nectria*, 88.
 Ozonium, 88.
 rot, *Rhizoctonia*, 88.
 Rhizopus, 86.
 Trichoderma, 88.
 scurf, 86.
 soil rot, 85, 207.
 stem rot, *Fusarium*, 84, 207.
 Nectria, 88.
 storage rot, 88, 207.
 white rust, 87.
 Sycamore, anthracnose, 177.

T

Tamarix, root rot, 183.
 Taphrina sp., plum, 28.
 Tar spot, tulip tree, 177.
 willow, 178.
 Tepary bean, *Fusarium* sp., 118.
 root rot, 118.
 rust, 118.
 Texas root rot (see also *Ozonium*)
 bean, 76.
 castor bean, 104.
 cocklebur, 179.
 mulberry, 175.
 Thelephora pedicillata, apple, 18.
 Thielavia basicola, alfalfa, 155.
 bean, 76.
 pea, 115.
 Thielaviopsis paradoxa, pineapple, 39.
 sugar cane, 165.
 Tilletia horrida, rice, 151.
 laevis, wheat, 119, 190.
 tritici, wheat, 119, 190.
 Timothy, blade blight, 157.
 leaf blight, 157.
 Scolecotrichum, 157.
 rust, 157.
 smut, 157.
 Tip burn, lettuce, 111.
 maple, 174.
 onion, 83.
 potato, 45, 201.

Tomato, bacterial blight, 65.
 blossom end rot, 65.
 buckeye rot, 67.
 early blight, 63, 205.
 Grand Rapids disease, 68.
 late blight, 67.
 leaf blight, 205.
 leaf mold, 67.
 leak, 69.
 mosaic, 68.
 nailhead spot, 64.
 rot, bacterial soft, 68.
 Phoma, 69.
 Rhizopus soft, 69.
 Sclerotinia, 70.
 Septoria blight, 60.
 soil rot, 70.
 western blights, 63.
 wilt, bacterial, 205.
 Fusarium, 61, 205.

Tranzschelia punctata, plum, 29.
 Trichoderma koningi, sweet potato, 88.

Tulip, white rot, 183.
 Tulip tree, canker, 177.
 mildew, 177.
 tar spot, 177.

Turnip, club root, 94.
 downy mildew, 94.
 root knot, 94.
 soft rot, 94.
 white rust, 94.

Twig blight, oak, 175.
 Twig disease, Kerria japonica, 181.
 Tylenchus tritici, wheat, 134.

U

Uncinula necator, grape, 32.
 salicis, willow, 178.
 Unusual tuber formation, potato, 58.
 Uredo arachidis, peanut, 116.
 artocarpis, citrus, 39.
 Urocystis cepulae, onion, 77, 210.
 occulta, rye, 139, 192.
 Uromyces appendiculatus, bean, 72.
 lima bean, 112.
 tepary bean, 118.
 caryophyllinus, carnation, 179.
 pisi, vetch, 156, 183.
 trifolii, clover, 156.
 Urophlyctis alfalfae, alfalfa, 153.
 Ustilaginoidea virens, rice, 151.

Ustilago avenae, oats, 144, 196.
 bromivora, brome grass, 158.
 crameri, millet, 157.
 hordei, barley, 141, 194.
 levis, oats, 144, 196.
 nuda, barley, 141, 194.
 striaeformis, timothy, 157.
 tritici, wheat, 129, 190.
 zeae, corn, 148, 197.

V

Valsa abietis, larch, 174.
 leucostoma, cherry, 31.
 peach, 24.
 Vegetable crops, 42, 84.
 Velvet bean, leaf spot, bacterial, 118.
 Cercospora, 118.
 Septoria, 118.
 root rot, 118.
 Venturia inaequalis, apple, 1, 212.
 pyrina, pear, 19.
 Verbena, powdery mildew, 183.
 Vermicularia, spinach, 118.
 circinans, onion, 81.
 Verticillium albo-atrum, potato, 47.
 201
 sp., barberry, 178.
 eggplant, 109.
 okra, 113.
 raspberry, 35.
 tulip tree, 177.
 Vetch, anthracnose, 156.
 leaf spot, 156, 183.
 rust, 156, 183.
 Violet, rust, 183.

W

Walnut, bacterial blight, 41.
 Walnut, black, anthracnose, 177.
 bacterial blight, 173.
 Wart, potato, 57.
 Water core, apple, 15.
 Watermelon, anthracnose, 99.
 blight, 101.
 downy mildew, 101.
 dry weather, 102.
 end rot, 100.
 frost injury, 102.
 leaf spot, Alternaria, 101.
 Cercospora, 101.
 nematode, 101.

- rot, 101.
 - wilt, bacterial, 101.
 - Fusarium, 101.
 - Watery soft rot, bean, 75.
 - celery, 106.
 - Western blights, tomato, 63.
 - Wheat, anthracnose, 136.
 - black chaff, 135.
 - blight, 137.
 - bunt, 119, 190.
 - ergot, 136.
 - glume spot, 136.
 - leaf spot, 136.
 - leaf stripe, 137.
 - loose smut, 129, 190.
 - nematode, 134.
 - powdery mildew, 136.
 - rust, leaf, 130, 190.
 - stem, 129, 190.
 - stripe, 133.
 - scab, 133, 190.
 - stripe, 137.
 - winter killing, 137.
 - White leaf trouble, alfalfa, 155.
 - White pod spot, pea, 115.
 - White rot, grape, 33.
 - tulip, 163.
 - White rust, pigweed, 182.
 - radish, 94.
 - sweet potato, 87.
 - turnip, 94.
 - White spot, alfalfa, 155.
 - Willow, leaf spot, *Pseudopeziza*, 178.
 - Septoria*, 178.
 - mildew, 178.
 - rust, 178.
 - tar spot, 178.
 - Wilt, bacterial, cantaloupe, 95.
 - corn, 150.
 - cucumber, 97.
 - eggplant, 108.
 - potato, 47.
 - pumpkin, 99.
 - squash, 93.
 - tomato, 205.
 - watermelon, 101.
 - catalpa, 170.
 - Fusarium, aster, 178.
 - cantaloupe, 96.
 - carnation, 179.
 - cotton, 160, 209.
 - cucumber, 98.
 - eggplant, 109.
 - flax, 164.
 - potato, 46, 199.
 - soy bean, 116.
 - squash, 99.
 - sweet pea, 183.
 - tomato, 61, 205.
 - watermelon, 101.
 - plum, 29.
 - rye, 141.
 - Sclerotinia*, alfalfa, 154.
 - catalpa, 170.
 - Sclerotium*, cabbage, 93.
 - peanut, 116.
 - Verticillium*, eggplant, 109.
 - okra, 113.
 - potato, 47, 201.
 - raspberry, 35.
 - Winter injury, alfalfa, 155.
 - apple, 14.
 - arbor-vitae, 169.
 - blackberry, 36.
 - box, 178.
 - cherry, 31.
 - clover, 156.
 - elm, 174.
 - hop, 185.
 - juniper, 174.
 - laurel, 181.
 - mountain ash, 175.
 - peach, 24.
 - pear, 19, 20.
 - pecan, 41.
 - pine, 177.
 - plum, 29.
 - privet, 182.
 - quince, 21.
 - raspberry, 35.
 - rose, 182.
 - sugar cane, 165.
 - yew, 178.
 - Winter killing, wheat, 137.
 - Witches' broom, ash, 170.
 - cherry, 31.
 - Wither tip, citrus, 37.
 - Wood rot, cacao, 184.
 - peach, 27.
- X
- Xylaria* spp., apple, 10.
- Y
- Yellow late rust, blackberry, 36.

Yellow leaf blotch, alfalfa,
153.

Yellow leaf curl, cabbage, 93.

Yellows, cabbage, 89.

peach, 22, 211.

peanut, 116.

raspberry, 34.

Yellow stripe, sugar cane,
165.

Yellow stripe rust (see stripe rust),
barley, 143.

Yew, winter injury, 178.

Yucca, leaf spot, 183.

Z

Zinnia, leaf spot, 183.

powdery mildew, 183.

ERRATA AND EXPLANATION

Page

- 10 Read "Armillaria mellea" instead of "Armillaria mella".
- 18 Apple, "Frog-eye", read "Illosporium" instead of "Illiosporium".
- 20 Quince, "Leaf blight", read "Fabraea" instead of "Fabrea".
- 27 Apple, "Other diseases", read "Clitocybe monadelphus" instead of "Clitocybe monadelphus".
- 29 Read "Coryneum beijerinckii" instead of "Coryneum beijiernickii".
- 31 Read "Exoascus cerasi" instead of "Excascus cerasi".
- 70 Read "Rhizoctonia" instead of "Rhozoctonia".
- 82 Read "Aspergillus" instead of "Aspergillis".
- 101 In table substitute "Stem end rot" for "Anthracnose", in both columns.
The melons in the six cars listed as coming from Missouri probably were not grown in that state.
- Read "Nematode caused considerable damage in local fields in Texas and California."
- 111 Read "Marssonina" instead of "Marssoria".
- 115 Pea "Other diseases", read "Thielavia" instead of "Thielvia".
- 129 Read "Ustilago tritici (Pers.) Rostr." instead of "Ustilago tritici (Pers.) Jens.", in heading for loose smut.
- 134 Read "Tylenchus tritici (Stein.) Bast.", instead of "Tylenchus tritici Bauer."
- 139 Read "Urocystis occulta (Wallr.) Rab." instead of "Urocystis occulta (Wallr.) Reb."
- 142 Read "Helminthosporium gramineum Rab." instead of "Helminthosporium gramineum (Rab.) Erik."
- Read "Helminthosporium sativum P. K. & B." instead of "Helminthosporium sativum (Pers.) K. & B."
- 150 Read "Bacterial wilt" instead of "Bacterium wilt."
- 151 Corn, "leaf blight" read "Inconspicuum" instead of "Inconspicum".
- Rice, "Other diseases", read "Ustilaginoides vires (Cke.) Tak." instead "Ustilaginoides vires (Cke.)"
- 154 Read "Cercospora medicaginis" instead of "Cercospora medicabinis".

- 155 Alfalfa, read "Stagonospora" instead of "Stagnospora".
- 156 Clover, substitute "Cuscuta spp." for "Cucuta spp.".
- 170 Read "Botrytis douglasii" instead of "Botrytis douglassi".
- 175 Mountain Ash, read "Cytospora leucostoma" instead of "Cytospora leucostroma".
- Palm, read "Graphiola phoenicis" instead of "Graphiola phoenesis".
- 177 Spruce, read "Coleosporium solidaginis" instead of "Coleosporium solidiganis".
- Tulip tree, read "Rhytisma liriodendri" instead of "Rhytisma lirodendri".
- 178 Willow, read "Rhytisma salicinum" instead of "Rhytisma solicinum".
- 179 Read "Dracaena" instead of "Dracenea".
- Read "Euonymus" instead of "Enonymus".
- 180 Euonymus, read "Exosporium concentricum" instead of "Exosporium concentrichum".
- 181 Ivy, read "Phyllosticta ampelopsidis" instead of "Phyllosticta ampelopidis".
- 182 Rose, read "Leptosphaeria coniothyrium" instead of "Leptosphaeria coniothyrum".
- 183 Vetch, substitute report on page 156 for summary of diseases on this host.
- 190 Wheat, "Scab" for Pennsylvania read "764" instead of "77".
- 205 Tomato, "Early blight", Connecticut, read "1+" instead of "16" bushels.

Library,
Bureau of Plant Industry,
U. S. Department of Agriculture,
Washington, D. C .